## SYCTEM VI MISSICH PREPLICHT DATA

SPECIAL HANDLING REQUIRE

25X1

25X1

%. Date of mission: 21 200 62 \_ Mission number A/C rumbar 355 Date of preflight: 10 100 6 2. Technical Data: P BAND L FAND S HAND X BAND Left Right Left Right Left Right Hoise ... on oncoMV 75 160 Tangential Sensitivity, Preflight on a season DBM 47 47 Targentie. Sensitivity, Ma chaum Cutput) ... VOLTS At Saturation ) ....-DBM Calibration Signal. - DBM Pitter Aspembly KI4C \* KMC KMC Ant anna Indexed Information Amplifier # 15 106 Rarcho Amplifier Hith Presny Lifter Signal Generator Test Setting: 25X1 8. HRE Power Supply bo Information Amplifier Power Supplies # 117 and # 1988 25 YEAR RE-REVIEW Junction Bexassassassassassassassas 105 Timing Unit(\_\_\_\_\_seconds) 3. Check list: a. 1 KC and 3 KC tenes present on track 2 of slave recorder in left position of antenna selector switch b 1 KJ and 3 KC tones present on track 2 of mast ar on bracest position of antenna selector switch e. Timer switching frequency 4. Flick clearance: Hatch hookup\_ Systems junction box circuit broakers

SPECIAL HANDLING TROPIETS

25X1

25X1 210% NO.

a go is indic				
11 21 MC00888 1942			ACCRICAGES	
ACCEPTION OF LACE.	a radional de la companione de la compan	uso - 2150 D. C. RALBO	W. W. Ale	ng pagkanggan naghas la ili kalangga a ili Algorithman ili k
578 3, 6, 9, 12 OF	2633348	The state of the s	AND THE CONTRACT OF THE CONTRA	and the second of the second o
46 GBJ CB	25233778	SET OF SE	al constant of the second of t	
AC GIO PATLURE	\$163273	3 HA 50 NIN		and the second of the second o
578 2. 6. 9. 13 OFF	2194065	515 3 & 6 MINE	WIZED WHEN AC GEN	BATTR PAILED
Transmittenderick i Steam (renductors (San) additionally) / and and				
Tak ala nasawakina kisa (palipaka nasawakina kina yang an majak na yi wampa nasa nasa na na		and the second s	<u></u>	
An illusion deprine, I chapte in the PL shripping I amphibian general appropriate appropriate of the shripping	an an ann an an an ann an an an an an an		· · · · · · · · · · · · · · · · · · ·	
<ul> <li>A color of propagation reasonable also approximately paper propagation (see consequently by consequently).</li> </ul>	Ends allowed to 1 physics prints from sealing new . Printings	entermanum matematus (CC) de la para cercia cemento de la cercia di disconsidi	<u>.</u>	e e e e e e e e e e e e e e e e e e e
samte spille betreget alleredet for defrærette repetiter (genther) i in helle helmene komme	an regularization describing to the Section Graph ( 1-44-		e gant a la fina de la companya de l	garan and a second a second and
NET IN JURIS STEELEN MINISTERMAN SERVICE AND	til til grandlig skett at til med hantlade, lættimet dek		and the second s	, құлымдар тереберезінен оққа с екеенде терес
The contract of the second sec			The state of the s	
	t al. gradus amongs to operations for account	and the state of t	The state of the s	ower or common metrical
u - WY Ngamalin alia na Walana hali Zimilika NY Bilin da alianda (1779) (b. 17	The second secon	THE ASSESSED AND AND THE TOTAL AND A SAME AND A SAME A CO.	ing specification of the second state of the s	and the second of the second o
			<u>;</u>	



